

HIDDEN

INFRA RED PIR CAMERA

IV-322CS

IV-370CS



* Functionality is subject to camera model

- Miniature Hidden camera
- For Day & Night Conditions
- Built-in Pin-Hole Lens
- Compact size and beautiful design
- Auto White Balance

IV-322CS

- 1/3 SONY CCD
- 420 TVL
- Auto White Balance

IV-370CS

- SONY EFFIO-E
- 1/3 CCD 650 TVL
- 2D Noise Reduction
- OSD Menu
- Motion Detection and Privacy Masking
- Color Rolling Control

- BLC/HLC/AGC
- ATR (Adaptive Tone Reproduction)

Specifications

MODEL	IV-370CS	IV-322CS
Image Sensor	1/3" Sony DS CCD (PAL:ICX673AK/NTSC:ICX672AK)	1/3" Sony CCD (PAL:ICX633BK/NTSC:ICX632BK)
DSP System	CXD4127	CXD3142
Effective Pixels	PAL:976(H)x582(V) NTSC:976(H)x494(V)	PAL:537(H)x597(V) NTSC:537(H)x505(V)
Scanning System	PAL/NTSC	
Horizontal Resolution	650TVL	420TVL
Min. Illumination	0.03 Lux / F1.0 (0 Lux IR ON)	0.05 Lux / F1.0 (0 Lux IR ON)
IR LED	18pcs(10M)	
OSD Menu	Available(7 languages)	Not Available
Backlight Compensation	BLC/HLC/OFF	Not Available
Sync. System	Internal	Internal
S/N Ratio	≥48db (AGC Off)	48db (AGC Off)
White Balance	Atw/Push/User Anti CR/Manual	Auto (AWB)
Gamma Correction	0.45	0.45
Gain Control	Yes	Auto (AGC)
Motion Detection	On/Off(4 Zone)	Not Available
Privacy Masking	On/Off(4 Zone)	Not Available
Mirror(H-REV)	On/Off	Not Available
SHARPNESS	On/Off (Level Adjustable)	Not Available
D/N Selection	Color/B/W/Auto	Not Available
ATR	On/Off	Not Available
Noise Reduce	2D-DNR	Not Available
Picture Adjustment	Yes	Not Available
Analog Output	Composite, BNC (1.0Vp-p.75hm)	
Lens	3.7mm Pinhole lens	
Power	DC12V/150mA	
Dimension	108W x 82H	
Net Weight	170g	

